

microprocessors and microsystems

Index to Volume 8, Numbers 1-10, Pages 1-560 (1984)

Subject Index

(N) = News item

ADA		for C on 8080 (N)	163	Development systems	
compiler for Hewlett-Packard machines (N)	395	for C on 80186 (N)	395	logic analyser for digital systems (N)	444
Apple II		Control		software link with Vax (N)	449
Arabic software (N)	262	CRT terminal for a programmable controller (Design note)	80	Digital circuits	
Applications		interfaces for IBM PC (N)	100	the digital storage oscilloscope (DSO) as a cost-effective solution to measurements in digital circuits (Teach-in)	435
of a microprocessor to monitor a destructive test machine	25	of I/O on S-100 (N)	205	Digital signal processing	
modular hardware of reduced performance for dedicated microprocessor applications: examples and justification	221	panel for industrial processes (N)	266	spectral observation of power network signals for digital signal processing	475
Arbiter		software for robot links to C compilers (N)	98	Digital storage	
design of a hardware arbiter for multimicroprocessor systems	21	standalone low-cost interface controller and emulator for the Apple II	67	the digital storage oscilloscope (DSO) as a cost-effective solution to measurements in digital circuits (Teach-in)	435
Assembler		Controllers		Displays	
linking assembly code to PASCAL programs for microprocessors	29	Apple-compatible for industrial users (N)	162	reducing CRT display overheads in Z80 systems using refresh-mode transfer (Design note)	140
ATE		CMOS single-chip control devices running COPS (N)	263	working with OCCAM: a program for generating display images	3
sales (N)	391	for PROMs get buffer memory (N)	259	DMA control	
Backplanes		for storage on 5.25 in and 8 in discs (N)	104	advanced DMA controller for 16-bit microcomputer systems	237
for Q-bus (N)	313	plug-in cards for Multibus (N)	162	8085	
with multilayer structure for VME (N)	447	SBC from Passim (N)	314	parallel I/O options for 8085-based systems (Teach-in)	86
BBC Micro		Conversion		80186	
Irish distributor turns manufacturer (N)	455	converting text into speech in real time with microcomputers	481	assembler support (N)	206
monitors school heating (N)	319	Converters		C compiler (N)	395
Biology		12-bit D/A (N)	312	Emulation	
interfaces and programs for classroom experiments in biology	424	Cross assemblers (N)	108	for 68008 users (N)	209
C		redefinable cross assemblers for horizontally microprogrammable processors	177	of mainframe, mini and micro terminals with software for DEC, ACT and Comart micros (N)	448
APL interpreter for Unix applications (N)	164	Data acquisition		standalone low-cost interface controller and emulator for the Apple II	67
compiler for 8080 (N)	163	design of externally triggered data acquisition units	417	Emulators	
compiler for 80186 (N)	395	the BBC microcomputer as a data acquisition tool	136	to test integrity of integration stations (N)	110
compilers get link to robot control software (N)	98	Databases		with logic state analysis (N)	163
CAD		database management in a microcomputer-controlled IC tester	488	E ² PROM	
in Belgium (N)	316	Design		and EPROM programming by remote control (N)	449
software for the IBM PC (N)	265	considerations for a hardware-refreshed memory card for the MC68000	413	backup for byte-wide NOVRAms (N)	109
under Unix in 2D (N)	445	function generator for designers (N)	445	microprocessor interfaces to byte-wide E ² PROMs (Design note)	290
CAE		human factors aspects of designing computer voice output systems as communication aids for the disabled	183	on STD card (N)	104
software using boolean techniques (N)	208	of a Multibus-compatible colour graphics subsystem	284	specification for 64k E ² PROM in CMOS (N)	159
Classroom		of a pH titrator as a component part of a personal computer	274	with its own voltage source (N)	448
interfaces and programs for classroom experiments in biology	424	of Edinburgh LOGO	119	Evaluation	
Code mixing		of externally triggered data acquisition units	417	fast Haar transform algorithm: a 6809-based realtime evaluation	126
PL/M codes mixing on single-board systems (Design note)	498	of modular workhandling systems	16	Event sequence recorder	
Communication		software for electronic circuits (N)	266	microprocessor-based event sequence recorder	492
human-factors aspects of designing computer voice output systems as communication aids for the disabled	183	teaching microcomputer-based design using a lift simulator	230	Expert systems	
Compilers		Development		with 68000 and LISP	374
for ADA on Hewlett-Packard computers (N)	395	software for software development (N)	160	FORTH	
				macroassembler (N)	204
				GaAs	
				market expectations	454
				method to reduce defects in wafers (N)	110
				Graphics	
				design of a Multibus-compatible colour graphics subsystem	284
				Haar transforms	
				fast Haar transform algorithm: a 6809-based realtime evaluation	126
				Hardware	
				design of a hardware arbiter for multimicroprocessor systems	21

Hardware-refresh		GaAs	454	solves classical operating system problems	280
design considerations for a hardware-refreshed memory card for the MC68000	413	US firms invest in UK	212	working with OCCAM: a program for generating display images	3
Hewlett-Packard		Mass storage		Operating systems	
computers get ADA compiler (N)	395	improving mass storage performance	430	LDOS (N)	102
Hierarchical		Materials		OCCAM solves classical operating system problems	280
design of a microprocessor-based process controller using multilevel hierarchical systems theory	58	molecular conductors and semiconductors — the electronic materials of the future? (Update)	249	68000 and the Pick operating system	357
Hitachi		Memory		Parallel I/O	
CMOS SCM with piggyback memory (N)	446	design considerations for a hardware-refreshed memory card for the MC68000	413	options for 8085-based systems (Teach-in)	86
256k EPROM (N)	311	MODULA-2		PASCAL	
Human factors		Mosys: the MODULA-2 system	361	linking assembly code to PASCAL programs for microprocessors	29
aspects of designing computer voice output systems as communication aids for the disabled	183	Molecular conductors and semiconductors — the electronic materials of the future? (Update)	249	PCM decommutator	
IBM PC		Monitoring		microprocessor-based PCM decommutator	470
CAD software (N)	265	application of a microprocessor to monitor a destructive test machine	25	PDOS	
control interfaces (N)	100	of heating in schools by BBC Micro (N)	319	68000 PDOS — an overview (Update)	458
LAN (N)	105	Mostek		Performance	
Information technology		dynamic RAM (N)	444	improving mass storage performance	430
visual handicap and the challenge of information technology in employment	520	Mosys		modular hardware of reduced performance for dedicated microprocessor applications: examples and justification	221
Intel		the MODULA-2 system	361	Philips	
C compiler for the 80186 (N)	395	Motorola		portable goes on CP/M-compatible LAN (N)	313
8087-based CAD (N)	451	Benchmark 20 (N)	398	teleprinters for China (N)	453
80286 in production by 'mid-1985' (N)	454	bus state analyser for 68000 (N)	264	Pick	
static RAM (N)	444	communications network chip (N)	313	chosen in preference to Unix (N)	391
Interfaces		HCMOS 8-bit microcomputers (N)	109	68000 and the Pick operating system	357
and programs for classroom experiments in biology	424	macrocell arrays (N)	161	PL/M	
between types of software for design and test — standard (N)	211	plans to put Concurrent DOS on VME/10 (N)	112	codes mixing on single-board systems (Design note)	498
GSX library (N)	508	Si-gate CMOS (N)	446	POPLOG	
interfacing a Perkins Brailier to a BBC Micro	524	68000-dedicated plug-in operating system nucleus (N)	312	the POPLOG program development system	368
microprocessor interfaces to byte-wide E ² PROMs (Design note)	290	32-bit 68020 (N)	398	Prestel	
realtime braille interface for Videotex interaction	528	Versabus graphics card (N)	159	a talking Prestel terminal	403
simple multiplexed interface for the MC6809 and the 146818 RTC	189	MS-DOS		Process control	
standalone low-cost interface controller and emulator for the Apple II	67	Sycero program generator (N)	445	design of a microprocessor-based process controller using multilevel hierarchical systems theory	58
the 68000 and its interface to IEEE-488 for IBM PC (N)	260	Multibus		for meat slicer (N)	318
J11		cards for Z8000 (N)	209	for plastics (N)	318
putting a minicomputer onto a chip — PDP-11 to J11	242	-compatible plug-in controller cards (N)	162	Program development	
LISP		-compatible SBC (N)	262	the POPLOG program development system	368
expert systems with 68000 and LISP	374	Multibus		Protocols	
Local area networks		design of a Multibus-compatible colour graphics subsystem	284	software for file swapping (N)	259
simple token ring local area networks	171	link preserves hardware and software investment (Update)	297	Q-bus	
Logica		National Semiconductor		link to industrial equipment (N)	208
plans technical centre (N)	394	Cheapernet (N)	397	Reflectance	
software development software (N)	160	CMOS single-chip control (N)	263	inline multichannel reflectance measurement using a 6801 series microcomputer (Design note)	193
Xenix-based rivals for PC-AT (N)	453	plans Israeli plant (N)	269	Refresh-mode transfer	
Logic analysers		specification for 64k CMOS E ² PROM (N)	159	reducing CRT display overheads in Z80 systems using refresh-mode transfer (Design note)	140
for 8- and 16-bit systems (N)	397	32000-based office tools (N)	394	Remote control	
Logic arrays		NCR		modem pair eliminators (N)	447
in HCMOS (N)	311	32-bit chip set (N)	158	Robots	
LOGO		Networking		control software gets link to C compilers (N)	98
and the British LOGO User Group (Update)	124	CP/M-compatible LAN for portables (N)	313	for structural analysis (N)	107
design of Edinburgh LOGO on microsystems	115	token-passing LAN takes 255 IBM PCs or XT's (N)	105	in the home	390
Market reports		Networks		robot workplaces (Teach-in)	245
future of home robot slaves in the USA	390	data communications processor (N)	313	using gyroscopes for navigation (N)	269
		external switching for analogue and digital test system (N)	207	Semiconductors	
		spectral observation of power network signals for digital signal processing	475	molecular conductors and semiconductors — the	
		OCCAM			
		— an overview	73		

electronic materials of the future? (Update)	249	link to SCSI (N)	166	TMS320 (N)	261
SGS		Sperry		32000	
high-speed CMOS family plans (N)	455	investment in Trilogy (N)	391	as base for office tools (N)	394
I/O boards for OEMs (N)	397	Standards		TMS320 (N)	261
Simulation		interface between types of software for design and test (N)	211	Toshiba	
teaching microcomputer-based design using a lift simulator	230	STD		CMOS Z80 (N)	397
training programmes for spacemen (N)	395	box for nonSTD kit (N)	205	Unix	
Sinclair QL (N)	107	cards for EPROM, RAM and E ² PROM (N)	104	APL interpreter in C (N)	164
6801		STE		-compatible processor and memory management boards (N)	446
inline multichannel reflectance measurement using a 6801 series microcomputer (Design note)	193	processor boards (N)	508	for 2D CAD (N)	445
6809		Superlattices (Update)	38	loses supporters to Pick (N)	391
fast Haar transform algorithm: a 6809-based realtime evaluation	126	Supermicros		Video	
simple multiplexed interface for the MC6809 and the 146818 RTC	189	AT&T and IBM compete (N)	455	signal monitor (N)	450
68000		Systems		Videotex	
and the Pick operating system	357	design of a microprocessor-based process controller using hierarchical systems theory	58	joint venture (N)	390
-based projection system (N)	267	Test		realtime braille interface for Videotex interaction	528
bus state analyser (N)	264	application of a microprocessor to monitor a destructive test machine	25	Visual handicap	
coprocessor for Apple computers (N)	262	database management in a microcomputer-controlled IC tester	488	aids for the visually handicapped and the challenge of information technology in employment	516
dedicated plug-in operating system nucleus (N)	312	Testing		VME	
design considerations for a hardware-refreshed memory card for the MC68000	413	Digibridge RLC tester (N)	445	plans to put Concurrent DOS on VME/10 (N)	112
expert systems with 68000 and LISP	374	external switching network for analogue and digital test (N)	207	Plessey second sources Force (N)	211
incircuit emulation for 68008 (N)	209	for cable assemblies, backplanes, wirewrapped PCBs or bare boards (N)	205	programming the 68000 in high-level language for VME	338
PDOS — an overview (Update)	458	for data communications protocols (N)	398	serial communications card (N)	264
programming the 68000 in high-level language for VME	338	fault locator operating by simulation (N)	160	Voice output	
the 68000 and its interface	324	handheld tester for transistors (N)	102	human-factors aspects of designing computer voice output systems as communications aids for the disabled	183
32-bit 68020 (N)	398	in three formats for floppy discs (N)	164	Word processing	
Xenix and the Motorola 68000 family	350	of digital IC functionality (N)	445	for blind people	535
68020		of integration station integrity (N)	110	Workhanding	
the MC68020, a true 32-bit microprocessor	377	system for disc drives, floppy discs and cartridges (N)	109	design of modular workhanding systems	16
S-100		Texas Instruments		Xenix	
		HCMOS logic arrays (N)	311	and the Motorola 68000 family	350
		logic devices (N)	104	-based rivals for PC-AT (N)	453
		second sources for Fujitsu (N)	111	for IBM PC and Apple Lisa (N)	449
				Z80	
				reducing CRT display overheads in Z80 systems using refresh-mode transfer (Design note)	140
				Z8000	
				on Multibus (N)	209

Author Index

Ahmed, A J see El-Dhaheer, A H	29	controller using multilevel hierarchical systems theory	58	Gill, J M Aids for the visually handicapped	516
Alexander, T Reducing CRT display overheads in Z80 systems using refresh-mode transfer (Design note)	140	Clements, A The 68000 and its interface	324	Globig, J Microprocessor interfaces to byte-wide E ² PROMs (Design note)	290
Ang, K P see Gunasingham, H	274	Coffield, D see Hutchinson, D	171	Gunasingham, H Design of a pH titrator as a component part of a personal computer	274
Athani, V V CRT terminal for a programmable controller (Design note)	80	Cope, N see King, R W	528	Hassan, T S see El-Dhaheer, A H	29
Bateson, B Xenix and the Motorola 68000 family	350	Crook, C The digital storage oscilloscope (DSO) as a cost-effective solution to measurements in digital circuits (Teach-in)	435	Hodgson, R Programming the 68000 in high-level language for VME	338
Bhanumurthy, B S see Reddy, M P	470	Curry, B J OCCAM solves classical operating system problems	280	Hollis, J E L Application of a microprocessor to monitor a destructive test machine	25
Bhat, S R see Karthikeyan, T V	492	Dash, P K Spectral observation of power network signals for digital signal processing	475	Howe, J see Ross, P	119
Boening, W Advanced DMA controller for 16-bit microcomputer systems	237	Dimond, K R see Said, S M	413	Hutchinson, D Simple token ring local area network	171
Boldyreff, C LOGO on microsystems	115	Dowsing, R Teaching microcomputer-based design using a lift simulator	230	Jacks, E Multibus Link preserves hardware and software investment (Update)	297
Bourdon, R J 68000 and the Pick operating system	357	Eisele, M W Improving mass storage performance	430	Jerew, D H see Wahab, A A	488
Breeze, P Molecular conductors and semiconductors — the electronic materials of the future? (Update)	249	El-Dhaheer, A H Linking assembly code to PASCAL programs for microprocessors	29	Karthikeyan, T V Microprocessor-based event sequence recorder	492
Breeze, P Superlattices (Update)	38	Fay, D Working with OCCAM: a program for generating display images	3	King, R W Realtime braille interface for Videotext interaction	528
Burón Romero, A M see Moreno del Collado, F	126	Gay, C The MC68020, a true 32-bit microprocessor	377	King, T Expert systems with 68000 and LISP	374
Campbell, B see Robertson, P J	136			Kirk, B Mosys: the MODULA-2 system	361

Lala, P K see Scholes, N F	177	Omotayo, O R Human-factors aspects of designing computer voice output systems as communication aids for the disabled	183	Smith, C Interfaces and programs for classroom experiments in biology	424
Leslie, I P NCC '84 (Conference report)	301	Panda, D K see Dash, P K	475	Smith, M F Letter to the editor	219
Manohar, S Design of a Multibus-compatible colour graphics subsystem	284	Parkes, J Low-power single-chip microcomputers (Teach-in)	34	Smith, M F Modular hardware of reduced performance for dedicated microprocessor applications: examples and justification	221
Mattison, C Visual handicap and the challenge of information technology in employment	520	Patil, V L Parallel I/O options for 8085-based systems (Teach-in)	86	Smith, M F Simple multiplexed interface for the MC6809 and the 146818 RTC	189
May, D OCCAM — an overview	73	Patnaik, I M see Manohar, S	284	Spragg, J Interfacing a Perkins Braille to a BBC Micro	524
McFarlane, I Inline multichannel reflectance measurement using a 6801 series microcomputer (Design note)	193	Pettitt, B see Dowsing, R	230	Starmer, P Putting a minicomputer onto a chip — PDP-11 to J11	242
Michell Martin, J A see Moreno del Collado, F	126	Poiraudau, J F PL/M codes mixing on single-board systems (Design note)	498	Subramanyam, M V see Alexander, T	140
Miles, K E see Weston, R H	16	Radburn, D LOGO and the British LOGO User Group (Update)	124	Tan, A K see Tan, B T G	67
Mok, J L see Gunasingham, H	274	Rajasekara, K S see Karhikeyan, T V	492	Tan, B T G Standalone low-cost interface, controller and emulator for the Apple II	67
Moore, P R see Weston, R H	16	Ramsay, A The POPLOG program development system	368	Taylor, M J Design of externally triggered data acquisition units	417
Moreno del Collado, F Fast Haar transform algorithm: a 6809-based realtime evaluation	126	Reddy, M P Microprocessor-based PCM decommutator	470	Taylor, R see May, D	73
Morgan, G see Scholes, N F	177	Refai, M K see Nelson, J C C	21	Thatcher, T W see Weston, R H	16
Murali, N see Manohar, S	284	Robertson, P J The BBC microcomputer as a data acquisition tool	136	Thiak, P C see Gunasingham, H	274
Nagarajan, R see Wahab, A A	488	Roper, P 68000 PDOS — an overview	458	Turnbull, S D see Vincent, A T	535
Nanjangud, V see Athani, V V	80	Ross, P Design of Edinburgh LOGO	119	Vincent, A T Word processing for blind people	535
Nelson, J C C Design of a hardware arbiter for multimicroprocessor systems	21	Roux, S see Poiraudau, J F	498	Wahab, A A Database management in a microcomputer-controlled IC tester	488
Omotayo, O R A talking Prestel terminal	403	Said, S M Design considerations for a hardware-refreshed memory card for the MC68000	413	Weston, R Robot workplaces (Teach-in)	245
Omotayo, O R Converting text into speech in real time with microcomputers	481	Scholes, N F Redefinable cross-assembler for horizontally microprogrammable processors	177	Weston, R H Design of modular workhandling systems	16

Title Index

A talking Prestel terminal	403	measurement using a 6801 series microcomputer (Design note)	193	Realtime braille interface for Videotext interaction	528
Advanced DMA controller for 16-bit microcomputer systems	237	Interfaces and programs for classroom experiments in biology	424	Redefinable crossassembler for horizontally microprogrammable processors	177
Aids for the visually handicapped	516	Interfacing a Perkins Braille to a BBC Micro	524	Reducing CRT display overheads in Z80 systems using refresh-mode transfer (Design note)	140
Application of a microprocessor to monitor a destructive test machine	25	Letter to the editor	219	Robot workplaces (Teach-in)	245
Converting text into speech in real time with microcomputers	481	Linking assembly code to PASCAL programs for microprocessors	29	Simple multiplexed interface for the MC6809 and the 146818 RTC	189
CRT terminal for a programmable controller (Design note)	80	LOGO and the British LOGO User Group (Update)	124	Simple token ring local area network	171
Database management in a microcomputer-controlled IC tester	488	LOGO on microsystems	115	68000 and the Pick operating system	357
Design considerations for a hardware-refreshed memory card for the MC68000	413	Low-power single-chip microcomputers (Teach-in)	34	68000 PDOS — an overview (Update)	458
Design of a hardware arbiter for multimicroprocessor systems	21	Microprocessor-based event sequence recorder	492	Spectral observation of power network signals for digital signal processing	475
Design of a microprocessor-based process controller using multilevel hierarchical systems theory	58	Microprocessor-based PCM decommutator	470	Standalone low-cost interface, controller and emulator for the Apple II	67
Design of a Multibus-compatible colour graphics subsystem	284	Microprocessor interfaces to byte-wide E ² PROMs (Design note)	290	Superlattices (Update)	38
Design of a pH titrator as a component part of a personal computer	274	Modular hardware of reduced performance for dedicated microprocessor applications: examples and justification	221	Teaching microcomputer-based design using a lift simulator	230
Design of Edinburgh LOGO	119	Molecular conductors and semiconductors — the electronic materials of the future? (Update)	249	The BBC microcomputer as a data acquisition tool	136
Design of externally triggered data acquisition units	417	Mosys: the MODULA-2 system	361	The digital storage oscilloscope (DSO) as a cost-effective solution to measurements in digital circuits (Teach-in)	435
Design of modular workhandling systems	16	Multibus Link preserves hardware and software investment (Update)	297	The MC68020, a true 32-bit microprocessor	377
Expert systems with 68000 and LISP	374	NCC '84 (Conference report)	301	The POPLOG program development system	368
Fast Haar transform algorithm: a 6809-based realtime evaluation	126	OCCAM — an overview	73	The 68000 and its interface	324
Human-factors aspects of designing computer voice output systems as communication aids for the disabled	183	OCCAM solves classical operating system problems	280	Visual handicap and the challenge of information technology in employment	520
Improving mass storage performance	430	Parallel I/O options for 8085-based systems (Teach-in)	86	Word processing for blind people	535
Inline multichannel reflectance		PL/M codes mixing on single-board systems (Design note)	498	Working with OCCAM: a program for generating display images	3
		Programming the 68000 in high-level language for VME	338	Xenix and the Motorola 68000 family	350
		Putting a minicomputer onto a chip — PDP-11 to J11	242		

